

STEM CELL RELEASE FACTOR™

References

Aphanizomenon flos-aquae

1. Arts, M. T., et al. (1992). "Seasonal patterns of total and energy reserve lipids of dominant zooplanktonic crustaceans from a hyper-eutrophic lake." *Oecologia* 90(4): 560-571.
2. Baroni, L., et al. (2009). "Effect of a Klamath algae product ("AFA-B12") on blood levels of vitamin B12 and homocysteine in vegan subjects: a pilot study." *Int J Vitam Nutr Res* 79(2): 117-123.
3. Barton, L. L., et al. (1980). "Viability changes in human neutrophils and monocytes following exposure to toxin extracted from *Aphanizomenon flos-aquae*." *Can J Microbiol* 26(2): 272-274.
4. Bechelli, J., et al. (2011). "Cytotoxicity of algae extracts on normal and malignant cells." *Leuk Res Treatment* 2011:373519.
5. Bekasova, O. D., et al. (1979). "Phycobilisomes from the blue-green algae *Aphanizomenon flos-aquae* and *Anabaena variabilis*." *Biol Bull Acad Sci USSR* 6(2): 164-172.
6. Benedetti, S., et al. (2004). "Antioxidant properties of a novel phycocyanin extract from the blue-green alga *Aphanizomenon flos-aquae*." *Life Sci* 75(19): 2353-2362.
7. Benedetti, S., et al. (2010). "Oxygen radical absorbance capacity of phycocyanin and phycocyanobilin from the food supplement *Aphanizomenon flos-aquae*." *J Med Food* 13(1): 223-227.
8. Benedetti, S., et al. (2006). "Purification and characterization of phycocyanin from the blue-green alga *Aphanizomenon flos-aquae*." *J Chromatogr B Analyt Technol Biomed Life Sci* 833(1): 12-18.
9. Bernstein, J. A., et al. (2011). "Cyanobacteria: an unrecognized ubiquitous sensitizing allergen?" *Allergy Asthma Proc* 32(2): 106-110.
10. Bizic-Ionescu, M., et al. (2014). "Massive regime shifts and high activity of heterotrophic bacteria in an ice-covered lake." *PLoS One* 9(11): e113611.
11. De Caro, V., et al. (2019). "Enhanced In Situ Availability of *Aphanizomenon Flos-Aquae* Constituents Entrapped in Buccal Films for the Treatment of Oxidative Stress-Related Oral Diseases: Biomechanical Characterization and In Vitro Ex Vivo Evaluation." *Pharmaceutics* 11(1).
12. Drapeau, C., et al. (2010). "Mobilization of bone marrow stem cells with StemEnhance improves muscle regeneration in cardiotoxin-induced muscle injury." *Cell Cycle* 9(9): 1819-1823.
13. Effmert, U., et al. (1991). "[Investigations of the immunomodulatory effect of cyanobacterial extracts]." *Allerg Immunol (Leipz)* 37(2): 97-102.
14. Evans, A. M., et al. (1996). "Analysis by gas chromatography-mass spectrometry of the fatty acid composition during temperature adaptation in *Aphanizomenon flos-aquae*, a diazotrophic cyanobacterium from the Baltic Sea." *Biochem Soc Trans* 24(3): 475s.
15. Furlong, J., et al. (2014). "Effect of an herbal/botanical supplement on strength, balance, and muscle function following 12-weeks of resistance training: a placebo controlled study." *J Int Soc Sports Nutr* 11: 23.
16. Gillespie, P. A. and R. Y. Morita (1972). "Vitamin B 12 production and depletion in a naturally occurring eutrophic lake." *Appl Microbiol* 23(2): 341-348.
17. Hart, A. N., et al. (2007). "Natural killer cell activation and modulation of chemokine receptor profile in vitro by an extract from the cyanophyta *Aphanizomenon flos-aquae*." *J Med Food* 10(3): 435-441.

18. Ismail, Z. M., et al. (2013). "The effect of in vivo mobilization of bone marrow stem cells on the pancreas of diabetic albino rats (a histological & immunohistochemical study)." *Int J Stem Cells* 6(1): 1-11.
19. Jensen, G. S., et al. (2007). "Mobilization of human CD34+ CD133+ and CD34+ CD133(-) stem cells in vivo by consumption of an extract from *Aphanizomenon flos-aquae*--related to modulation of CXCR4 expression by an L-selectin ligand?" *Cardiovasc Revasc Med* 8(3): 189-202.
20. Kay, R. A. (1991). "Microalgae as food and supplement." *Crit Rev Food Sci Nutr* 30(6): 555-573.
21. Kaya, K., et al. (2006). "A novel biosurfactant, 2-acyloxyethylphosphonate, isolated from waterblooms of *Aphanizomenon flos-aquae*." *Molecules* 11(7): 539-548.
22. Kuriakose, G. C. and M. G. Kurup (2008). "Evaluation of renoprotective effect of *Aphanizomenon flos-aquae* on cisplatin-induced renal dysfunction in rats." *Ren Fail* 30(7): 717-725.
23. Kuriakose, G. C. and M. G. Kurup (2010). "Antioxidant and hepatoprotective activity of *Aphanizomenon flos-aquae* Linn against paracetamol intoxication in rats." *Indian J Exp Biol* 48(11): 1123-1130.
24. Laamanen, M. J., et al. (2002). "Diversity of *Aphanizomenon flos-aquae* (cyanobacterium) populations along a Baltic Sea salinity gradient." *Appl Environ Microbiol* 68(11): 5296-5303.
25. Miyamoto, E., et al. (2006). "Purification and characterization of a corrinoid-compound in an edible cyanobacterium *Aphanizomenon flos-aquae* as a nutritional supplementary food." *J Agric Food Chem* 54(25): 9604-9607.
26. Mur, L. R. (1983). "Some aspects of the ecophysiology of cyanobacteria." *Ann Microbiol (Paris)* 134b(1): 61-72.
27. Murakami, M., et al. (2000). "New anabaenopeptins, potent carboxypeptidase-A inhibitors from the cyanobacterium *Aphanizomenon flos-aquae*." *J Nat Prod* 63(9): 1280-1282.
28. Novakova, K., et al. (2011). "Modulation of gap-junctional intercellular communication by a series of cyanobacterial samples from nature and laboratory cultures." *Toxicon* 58(1): 76-84.
29. Nuzzo, D., et al. (2018). "Effects of the *Aphanizomenon flos-aquae* Extract (Klamin(R)) on a Neurodegeneration Cellular Model." *Oxid Med Cell Longev* 2018: 9089016.
30. Ostensvik, O., et al. (1998). "Antibacterial properties of extracts from selected planktonic freshwater cyanobacteria—a comparative study of bacterial bioassays." *J Appl Microbiol* 84(6): 1117-1124.
31. Pugh, N. and D. S. Pasco (2001). "Characterization of human monocyte activation by a water soluble preparation of *Aphanizomenon flos-aquae*." *Phytomedicine* 8(6): 445-453.
32. Pugh, N., et al. (2001). "Isolation of three high molecular weight polysaccharide preparations with potent immunostimulatory activity from *Spirulina platensis*, *aphanizomenon flos-aquae* and *Chlorella pyrenoidosa*." *Planta Med* 67(8): 737-742.
33. Righi, V., et al. (2016). "Mycosporine-like Amino Acids and Other Phytochemicals Directly Detected by High-Resolution NMR on Klamath (*Aphanizomenon flos-aquae*) Blue-Green Algae." *J Agric Food Chem* 64(35): 6708-6715.
34. Rinalducci, S., et al. (2009). "De novo sequence analysis and intact mass measurements for characterization of phycocyanin subunit isoforms from the blue-green alga *Aphanizomenon flos-aquae*." *J Mass Spectrom* 44(4): 503-515.
35. Sanaei, M., et al. (2015). "Consequences of *Aphanizomenon Flos-aquae*(AFA) extract (Stemtech [™]) on metabolic profile of patients with type 2 diabetes." *J Diabetes Metab Disord* 14: 50.
36. Scoglio, S., et al. (2014). "Selective monoamine oxidase B inhibition by an *Aphanizomenon flos-aquae* extract and by its constitutive active principles phycocyanin and mycosporine-like amino acids." *Phytomedicine* 21(7): 992-997.
37. Scoglio, S., et al. (2016). "Inhibitory effects of *Aphanizomenon flos-aquae* constituents on human UDP-glucose dehydrogenase activity." *J Enzyme Inhib Med Chem* 31(6): 1492-1497.

38. Sedriep, S., et al. (2011). "Beneficial nutraceutical modulation of cerebral erythropoietin expression and oxidative stress: an experimental study." *J Biol Regul Homeost Agents* 25(2): 187-194.
39. Shytte, D. R., et al. (2010). "Effects of blue-green algae extracts on the proliferation of human adult stem cells in vitro: a preliminary study." *Med Sci Monit* 16(1): Br1-5.
40. Taniguchi, M., et al. (2019). "In vitro antioxidant, anti-glycation and immunomodulation activities of fermented blue-green algae *Aphanizomenon flos-aquae*." *Mol Biol Rep* 46(2): 1775-1786.
41. Torres, A., et al. (2006). "Porphyra-334, a potential natural source for UVA protective sunscreens." *Photochem Photobiol Sci* 5(4): 432-435.
42. Xue, X., et al. (2018). "Protective effects of extracellular polymeric substances from *Aphanizomenon flos-aquae* on neurotoxicity induced by local anesthetics." *Exp Ther Med* 16(4): 3011-3019.
43. Xue, X., et al. (2015). "Extracellular polymeric substance from *Aphanizomenon flos-aquae* induces apoptosis via the mitochondrial pathway in A431 human epidermoid carcinoma cells." *Exp Ther Med* 10(3): 927-932.

Fucoidan

1. Araya, N., et al. (2011). "Fucoidan therapy decreases the proviral load in patients with human T-lymphotropic virus type-1-associated neurological disease." *Antivir Ther* 16(1): 89-98.
2. Hernandez-Corona, D. M., et al. (2014). "Effect of fucoidan administration on insulin secretion and insulin resistance in overweight or obese adults." *J Med Food* 17(7): 830-832.
3. Irhimeh, M. R., et al. (2007). "Fucoidan ingestion increases the expression of CXCR4 on human CD34+ cells." *Exp Hematol* 35(6): 989-994.
4. Irhimeh, M. R., et al. (2009). "Pilot clinical study to evaluate the anticoagulant activity of fucoidan." *Blood Coagul Fibrinolysis* 20(7): 607-610.
5. Irhimeh, M. R., et al. (2005). "A quantitative method to detect fucoidan in human plasma using a novel antibody." *Methods Find Exp Clin Pharmacol* 27(10): 705-710.
6. Negishi, H., et al. (2013). "Supplementation of elderly Japanese men and women with fucoidan from seaweed increases immune responses to seasonal influenza vaccination." *J Nutr* 143(11): 1794-1798.
7. Ren, R., et al. (2013). "Modulation of platelet aggregation-related eicosanoid production by dietary F-fucoidan from brown alga *Laminaria japonica* in human subjects." *Br J Nutr* 110(5): 880-890.
8. Tsai, H. L., et al. (2017). "Efficacy of Low-Molecular-Weight Fucoidan as a Supplemental Therapy in Metastatic Colorectal Cancer Patients: A Double-Blind Randomized Controlled Trial." *Mar Drugs* 15(4).
9. Wright, C. M., et al. (2019). "Effect of a Fucoidan Extract on Insulin Resistance and Cardiometabolic Markers in Obese, Nondiabetic Subjects: A Randomized, Controlled Trial." *J Altern Complement Med* 25(3): 346-352.

Sea Buckthorn

(*Hippophae rhamnoides*)

1. Drapeau, C., et al. (2019). "Rapid and selective mobilization of specific stem cell types after consumption of a polyphenol-rich extract from sea buckthorn berries (*Hippophae*) in healthy human subjects." *Clin Interv Aging* 14:253-263.
2. Gao, Z. L., et al. (2003). "Effect of sea buckthorn on liver fibrosis: a clinical study." *World J Gastroenterol* 9(7):1615-1617.

3. Jarvinen, R. L., et al. (2011). "Effects of oral sea buckthorn oil on tear film Fatty acids in individuals with dry eye." *Cornea* 30(9): 1013-1019.
4. Larmo, P., et al. (2008). "Effects of sea buckthorn berries on infections and inflammation: a double-blind, randomized, placebo-controlled trial." *Eur J Clin Nutr* 62(9): 1123-1130.
5. Larmo, P. S., et al. (2010). "Oral sea buckthorn oil attenuates tear film osmolarity and symptoms in individuals with dry eye." *J Nutr* 140(8): 1462-1468.
6. Larmo, P. S., et al. (2013). "Effects of sea buckthorn and bilberry on serum metabolites differ according to baseline metabolic profiles in overweight women: a randomized crossover trial." *Am J Clin Nutr* 98(4): 941-951.
7. Larmo, P. S., et al. (2009). "Effect of a low dose of sea buckthorn berries on circulating concentrations of cholesterol, triacylglycerols, and flavonols in healthy adults." *Eur J Nutr* 48(5): 277-282.
8. Larmo, P. S., et al. (2014). "Effects of sea buckthorn oil intake on vaginal atrophy in postmenopausal women: a randomized, double-blind, placebo-controlled study." *Maturitas* 79(3): 316-321.
9. Lehtonen, H. M., et al. (2011). "Different berries and berry fractions have various but slightly positive effects on the associated variables of metabolic diseases on overweight and obese women." *Eur J Clin Nutr* 65(3): 394-401.
10. Linderborg, K. M., et al. (2012). "The fibres and polyphenols in sea buckthorn (*Hippophae rhamnoides*) extraction residues delay postprandial lipemia." *Int J Food Sci Nutr* 63(4): 483-490.
11. Mdinaradze, N. (2006). "Comprehensive treatment of generalized parodontitis." *Georgian Med News*(135): 60-3.
12. Meng, L. Q., et al. (2007). "[Effect of observation Xinnaxin capsules in treatment of chronic cerebral circulatory insufficiency]." *Zhongguo Zhong Yao Za Zhi* 32(17): 1798-1800.
13. Mortensen, M. W., et al. (2018). "Sea buckthorn decreases and delays insulin response and improves glycaemic profile following a sucrose-containing berry meal: a randomised, controlled, crossover study of Danish sea buckthorn and strawberries in overweight and obese male subjects." *Eur J Nutr* 57(8): 2827-2837.
14. Nemes-Nagy, E., et al. (2008). "Effect of a dietary supplement containing blueberry and sea buckthorn concentrate on antioxidant capacity in type 1 diabetic children." *Acta Physiol Hung* 95(4): 383-393.
15. Ramnani, P., et al. (2010). "Prebiotic effect of fruit and vegetable shots containing Jerusalem artichoke inulin: a human intervention study." *Br J Nutr* 104(2): 233-240.
16. Rodhe, Y., et al. (2013). "The effect of sea buckthorn supplement on oral health, inflammation, and DNA damage in hemodialysis patients: a double-blinded, randomized crossover study." *J Ren Nutr* 23(3): 172-179.
17. Sadhu, A., et al. (2014). "Management of cognitive determinants in senile dementia of Alzheimer's type: therapeutic potential of a novel polyherbal drug product." *Clin Drug Investig* 34(12): 857-869.
18. Singh, R. G., et al. (2013). "Immunomodulating and antiproteinuric effect of *Hippophae rhamnoides* (Badriphal) in idiopathic nephrotic syndrome." *J Assoc Physicians India* 61(6): 397-399.
19. Suomela, J. P., et al. (2006). "Absorption of flavonols derived from sea buckthorn (*Hippophae rhamnoides* L.) and their effect on emerging risk factors for cardiovascular disease in humans." *J Agric Food Chem* 54(19): 7364-7369.
20. Vashishtha, V., et al. (2017). "Effect of seabuckthorn seed oil in reducing cardiovascular risk factors: A longitudinal controlled trial on hypertensive subjects." *Clin Nutr* 36(5): 1231-1238.
21. Xiao, M., et al. (2013). "Influence of *hippophae rhamnoides* on two appetite factors, gastric emptying and metabolic parameters, in children with functional dyspepsia." *Hell J Nucl Med* 16(1): 38-43.
22. Xin, W., et al. (2015). "[Comparative study of the clinical observation on traumatic perforation of tympanic membrane]." *Lin Chung Er Bi Yan Hou Tou Jing Wai Ke Za Zhi* 29(18): 1610-1614.
23. Zhang, M. S. (1987). "[A control trial of flavonoids of *Hippophae rhamnoides* L. in treating ischemic heart disease]." *Zhonghua Xin Xue Guan Bing Za Zhi* 15(2): 97-99.

24. Zhang, X., et al. (2001). "[Effect of total flavones of Hippophae rhamnoides L. on sympathetic activity in hypertension]." *Hua Xi Yi Ke Da Xue Xue Bao* 32(4): 547-550.

Piperine

(Black/Long Pepper Fruit Extract)

1. Ajazuddin, et al. (2014). "Role of herbal bioactives as a potential bioavailability enhancer for Active Pharmaceutical Ingredients." *Fitoterapia* 97: 1-14.
2. Alvarez-Berdugo, D., et al. (2014). "Pharmacodynamics of TRPV1 agonists in a bioassay using human PC-3 cells." *Scientific World Journal* 2014: 184526.
3. Atal, N. and K. L. Bedi (2010). "Bioenhancers: Revolutionary concept to market." *J Ayurveda Integr Med* 1(2): 96-99.
4. Badmaev, V., et al. (2000). "Piperine derived from black pepper increases the plasma levels of coenzyme Q10 following oral supplementation." *J Nutr Biochem* 11(2): 109-113.
5. Bano, G., et al. (1991). "Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers." *Eur J Clin Pharmacol* 41(6): 615-617.
6. Bedada, S. K., et al. (2017). "Effect of Piperine on the Metabolism and Pharmacokinetics of Carbamazepine in Healthy Volunteers." *Drug Res (Stuttg)* 67(1): 46-51.
7. Bedada, S. K. and P. K. Boga (2017). "Effect of piperine on CYP2E1 enzyme activity of chlorzoxazone in healthy volunteers." *Xenobiotica* 47(12): 1035-1041.
8. Bhardwaj, R. K., et al. (2002). "Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4." *J Pharmacol Exp Ther* 302(2): 645-650.
9. Cherniakov, I., et al. (2017). "Piperine-pro-nanolipospheres as a novel oral delivery system of cannabinoids: Pharmacokinetic evaluation in healthy volunteers in comparison to buccal spray administration." *J Control Release* 266: 1-7.
10. Dudhatra, G. B., et al. (2012). "A comprehensive review on pharmacotherapeutics of herbal bioenhancers." *Scientific World Journal* 2012: 637953.
11. Durgaprasad, S., et al. (2005). "A pilot study of the antioxidant effect of curcumin in tropical pancreatitis." *Indian J Med Res* 122(4): 315-318.
12. Feng, X., et al. (2014). "Effects of piperine on the intestinal permeability and pharmacokinetics of linarin in rats." *Molecules* 19(5): 5624-5633.
13. Gilardini, L., et al. (2016). "Effects of Greenselect Phytosome(R) on weight maintenance after weight loss in obese women: a randomized placebo-controlled study." *BMC Complement Altern Med* 16: 233.
14. Green, B. G. (1996). "Rapid recovery from capsaicin desensitization during recurrent stimulation." *Pain* 68(2-3): 245-253.
15. Haghpahan, S., et al. (2018). "Efficacy and safety of resveratrol, an oral hemoglobin F-augmenting agent, in patients with beta-thalassemia intermedia." *Ann Hematol* 97(10): 1919-1924.
16. Hiwale, A. R., et al. (2002). "Effect of co-administration of piperine on pharmacokinetics of beta-lactam antibiotics in rats." *Indian J Exp Biol* 40(3): 277-281.
17. Janakiraman, K. and R. Manavalan (2008). "Studies on effect of piperine on oral bioavailability of ampicillin and norfloxacin." *Afr J Tradit Complement Altern Med* 5(3): 257-262.
18. Johnson, J. J., et al. (2011). "Enhancing the bioavailability of resveratrol by combining it with piperine." *Mol Nutr Food Res* 55(8): 1169-1176.

19. Karan, R. S., et al. (1999). "Effect of Trikatu, an Ayurvedic Prescription on the Pharmacokinetic Profile of Carbamazepine in Rabbits." *Indian J Physiol Pharmacol* 43(1): 133-136.
20. Kasibhatta, R. and M. U. Naidu (2007). "Influence of piperine on the pharmacokinetics of nevirapine under fasting conditions: a randomised, crossover, placebo-controlled study." *Drugs R D* 8(6): 383-391.
21. Kesarwani, K., et al. (2013). "Bioavailability enhancers of herbal origin: an overview." *Asian Pac J Trop Biomed* 3(4):253-266.
22. Khajuria, A., et al. (1998). "Permeability characteristics of piperine on oral absorption--an active alkaloid from peppers and a bioavailability enhancer." *Indian J Exp Biol* 36(1): 46-50.
23. Khan, I. A., et al. (2006). "Piperine, a phytochemical potentiator of ciprofloxacin against *Staphylococcus aureus*." *Antimicrob Agents Chemother* 50(2): 810-812.
24. Kumar, S., et al. (2017). "The Significance of Ayurvedic Medicinal Plants." *J Evid Based Complementary Altern Med* 22(3): 494-501.
25. Lambert, J. D., et al. (2004). "Piperine enhances the bioavailability of the tea polyphenol (-)-epigallocatechin-3-gallate in mice." *J Nutr* 134(8): 1948-1952.
26. Liang, Y. Z., et al. (2014). "White pepper and piperine have different effects on pharmacokinetics of puerarin in rats." *Evid Based Complement Alternat Med* 2014: 796890.
27. Makhov, P., et al. (2012). "Co-administration of piperine and docetaxel results in improved anti-tumor efficacy via inhibition of CYP3A4 activity." *Prostate* 72(6): 661-667.
28. Panahi, Y., et al. (2016). "Mitigation of Systemic Oxidative Stress by Curcuminoids in Osteoarthritis: Results of a Randomized Controlled Trial." *J Diet Suppl* 13(2): 209-220.
29. Panahi, Y., et al. (2015). "Investigation of the efficacy of adjunctive therapy with bioavailability-boosted curcuminoids in major depressive disorder." *Phytother Res* 29(1): 17-21.
30. Panahi, Y., et al. (2016). "Effects of Curcuminoids-Piperine Combination on Systemic Oxidative Stress, Clinical Symptoms and Quality of Life in Subjects with Chronic Pulmonary Complications Due to Sulfur Mustard: A Randomized Controlled Trial." *J Diet Suppl* 13(1): 93-105.
31. Panahi, Y., et al. (2015). "Antioxidant and anti-inflammatory effects of curcuminoid-piperine combination in subjects with metabolic syndrome: A randomized controlled trial and an updated meta-analysis." *Clin Nutr* 34(6): 1101-1108.
32. Panahi, Y., et al. (2014). "Lipid-modifying effects of adjunctive therapy with curcuminoids-piperine combination in patients with metabolic syndrome: results of a randomized controlled trial." *Complement Ther Med* 22(5): 851-857.
33. Panahi, Y., et al. (2017). "Curcuminoids Plus Piperine Modulate Adipokines in Type 2 Diabetes Mellitus." *Curr Clin Pharmacol* 12(4): 253-258.
34. Panahi, Y., et al. (2017). "Curcuminoids modify lipid profile in type 2 diabetes mellitus: A randomized controlled trial." *Complement Ther Med* 33: 1-5.
35. Panahi, Y., et al. (2018). "Effects of Curcuminoids Plus Piperine on Glycemic, Hepatic and Inflammatory Biomarkers in Patients with Type 2 Diabetes Mellitus: A Randomized Double-Blind Placebo-Controlled Trial." *Drug Res (Stuttg)* 68(7): 403-409.
36. Pattanaik, S., et al. (2009). "Pharmacokinetic interaction of single dose of piperine with steady-state carbamazepine in epilepsy patients." *Phytother Res* 23(9): 1281-1286.
37. Rahimnia, A. R., et al. (2015). "Impact of Supplementation with Curcuminoids on Systemic Inflammation in Patients with Knee Osteoarthritis: Findings from a Randomized Double-Blind Placebo-Controlled Trial." *Drug Res (Stuttg)* 65(10): 521-525.

38. Randhawa, G. K., et al. (2011). "Bioenhancers from mother nature and their applicability in modern medicine." *Int J Appl Basic Med Res* 1(1): 5-10.
39. Rofes, L., et al. (2014). "Effect of oral piperine on the swallow response of patients with oropharyngeal dysphagia." *J Gastroenterol* 49(12): 1517-1523.
40. Rondanelli, M., et al. (2013). "Improvement in insulin resistance and favourable changes in plasma inflammatory adipokines after weight loss associated with two months' consumption of a combination of bioactive food ingredients in overweight subjects." *Endocrine* 44(2): 391-401.
41. Rondanelli, M., et al. (2013). "Acute effect on satiety, resting energy expenditure, respiratory quotient, glucagon-like peptide-1, free fatty acids, and glycerol following consumption of a combination of bioactive food ingredients in overweight subjects." *J Am Coll Nutr* 32(1): 41-49.
42. Samy, R. P., et al. (2008). "A compilation of bioactive compounds from Ayurveda." *Bioinformation* 3(3): 100-110.
43. Schneider, N. G., et al. (1995). "Efficacy of a nicotine nasal spray in smoking cessation: a placebo-controlled, double-blind trial." *Addiction* 90(12): 1671-1682.
44. Shafiee, A., et al. (2018). "The effect of topical piperine combined with narrowband UVB on vitiligo treatment: A clinical trial study." *Phytother Res* 32(9): 1812-1817.
45. Shoba, G., et al. (1998). "Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers." *Planta Med* 64(4): 353-356.
46. Singh, S., et al. (2016). "An appraisal of the bioavailability enhancers in Ayurveda in the light of recent pharmacological advances." *Ayu* 37(1): 3-10.
47. Srinivasan, K. (2007). "Black pepper and its pungent principle-piperine: a review of diverse physiological effects." *Crit Rev Food Sci Nutr* 47(8): 735-748.
48. Volak, L. P., et al. (2013). "Effect of a herbal extract containing curcumin and piperine on midazolam, flurbiprofen and paracetamol (acetaminophen) pharmacokinetics in healthy volunteers." *Br J Clin Pharmacol* 75(2): 450-462.
49. Wightman, E. L., et al. (2014). "Effects of resveratrol alone or in combination with piperine on cerebral blood flow parameters and cognitive performance in human subjects: a randomised, double-blind, placebo-controlled, cross-over investigation." *Br J Nutr* 112(2): 203-213.